# SEPARATE COLLECTION OF USED VEGETABLE OIL



discover a world of... ecological ideas in Plastic Second Life



# **PRODUCTS CATALOGUE**



**ENVIRONMENTAL DIVISION** 



**IMPROVED SYSTEM COSTS** 





### **BIN MANAGEMENT**

### with a CLICK

Details on bin levels and waste management



### WATER READING

with a CLICK

Check water meters from the office



**RAPID ACCESS** 

with a CLICK

Enter and monitor bin usage



# THE **CIL**plan SYSTEM

### Simply consult the **OILPLAN** via www.raccoltaoliusati.com and check for the closest and available bin for

waste disposal.



The container handles the 'anonymous' disposal for authorised users who are recognises through the identification of a unique ID number on an LF tag, UHF tag or other method into containers duly enabled for the individual type of chosen tag.



Such accurate management renders it possible to generate precise statistics on the collection project, be it individual or collective collection stations suitably positioned throughout the territory, user awards based on disposal, etcetera.

The disposal data is saved through the container then sent to the OILPLAN system for the relevant management.











Container for used vegetable cooking oils



Small, handy and compact, ideal for

those having little room

Filter the used oil when filling

COLIBRÌ is a 1.6 litre container for the separate collection of domestic used vegetable cooking oils.

The capacity is ideal for the collection of salad oils or shallow frying oils.

Manufactured from lightweight HDPE and easy to handle, it includes a child proof safety cap (UNI EN ISO 8317: 2005 compliant) and a removable filter located in a recess in the opening, to improve the quality of the separated oil.

Its small size allows easy placement within a sinks for practical oil collection and storage in a cupboard or kitchen worktop.

The cap is designed for the insertion of a microchip, for data monitoring of oil collection.

ECOHOUSE® SMALL is a 2.2 litre con-

tainer for the separate collection of domestic

The capacity is ideal for the collection of shallow frying oils and salad oils. Manu-

factured from lightweight HDPE and easy to handle, the lid has a child proof safety cap (UNI EN ISO 8317: 2005 compliant) with a funnel with built-in filter grill to improve the

ECOHOUSE® SMALL is also designed to hold a microchip inside the cap, for detailed

The funnel has a special housing to attach it

Its shape, footprint and size are suitable for any type of kitchen or environment and the container can stand upright or on its side.

used vegetable cooking oils.

quality of the separated used oil.

monitoring of oil collection.

to the container after use.



Insert	tion of a microchip	into the cap.		
ITEM	<b>Dimensions cm</b>	Capacity L	Material	Color
02510	9,6x9,6x26H	1,6	PEHD	Green
R-02510	9,6x9,6x26H	1,6	PSV	Grey
RE-02510	9.6x9.6x26H	1.6	PSV MIX FCO	Grev

Special colour customizations are available upon request

# EcoHouse Small

Safe and easy to carry

### **Container** for used vegetable cooking oils



Pouring waste oil in drainpipes is highly polluting



Filter and collect with the special funnel



Handy and small





plastic





**Optional:** 

A panel for vinyl labels or imprinting e.g. customer's logo. Insertion of a microchip into the cap.

ITEM	Dimensions cm	Capacity L	Material	Color
02042	12,5x16x25,5H	2,2	PEHD	Green
R-02042	12,5x16x25,5H	2,2	PSV	Grey
RE-02042	12,5x16x25,5H	2,2	PSV MIX ECO	Grey

Special colour customizations are available upon request







To be applied on Lplan

### **Container** for used vegetable cooking oils



Filter the used oil when filling



Safe and easy to carry

**OLÌ** is a 3.5 litre container for the separate collection of domestic used cooking, frying and salad oils.

Manufactured in lightweight HDPE and easy to handle, the lid has a child proof safety cap (UNI EN ISO 8317: 2005 compliant) and a removable filter housed inside the opening, to improve the quality of separated used oil.

OLI has a small footprint for easy storage in a cupboard or on the kitchen worktop and is a great addition to any household's recycling system.

The cap is designed for the insertion of a microchip, for data monitoring of oil collection.

**OLÌ** is available on request with a 3L version (code 03000), equipped with an adequate safety margin for filling.





collection points

### **Optional:**

A panel for vinyl labels or imprinting e.g. customer's logo. Insertion of a microchip into the cap.

ITEM	<b>Dimensions cm</b>	Capacity L	Material	Color
02515	20x14,5x26H	3,5	PEHD	Green
R-02515	20x14,5x26H	3,5	PSV	Grey
RE-02515	20x14,5x26H	3,5	PSV MIX ECO	Grey

Special colour customizations are available upon request







### **Container** for used vegetable cooking oils



accessories



Eosy to tronsport

**ECOHOUSE® LIGHT** is a 5.5 litre container for separate collection of domestic used cooking and frying oils. The capacity is sufficient to fill with used vegetable cooking oil from a domestic deep fat fryer.

Manufactured in lightweight HDPE and easy to handle, the lid has a child proof safety cap (UNI EN ISO 8317: 2005 compliant) and is also designed to hold a microchip inside the cap for data monitoring of oil collection.

A funnel with removable built-in filter, improves the quality of separated used oil and it has a special housing, to secure the funnel to the container after use. The practical shape allows for easy storage in a cupboard or on the kitchen worktop.

Take it to authorized collection centres

or ecological islands





F

A panel for vinyl labels or imprinting e.g. customer's logo. Insertion of a microchip into the cap.

ITEM	Dimensions cm	Capacity L	Material	Color
02028	31x14,5x22H	5,5	PEHD	Green
R-02028	31x14,5x22H	5,5	PSV	Grey
RE-02028	31x14,5x22H	5,5	PSV MIX ECO	Grey

Special colour customizations are available upon request







Tank for the collection and storage of **Vegetable oil from** industrial canteens and From the catering sector



It simplifies the disposal of waste cooking oil coming from fryers



The trolley handle makes any move easier even when full

ECO-WORK® is a versatile and convenient tank designed for the collection of big quantities of Waste Vegetable Oil.

Thanks to its features the collection and storage of oil is safe, easy and quick, directly on the workplace. ECO-WORK® has a maximum capacity of 36 litres, is wheely and has a trolley handle that makes its transport extremely safe also for the health of the carrier.

It is available in green for the selective collection of vegetable OIL. It also has a central handle to lift it and stack it \* making the most of any available space. Its versatility allows oil collectors to suck oil directly on the spot or to take it to specific collection and/or storage centres. The transport is absolutely safe and easy thanks to a specific casing that safely fixes ECO-WORK® through some belts preventing its overturnina.



If con be stocked for a better positioning (maximum stockoble quantity: 4 tanks). Easy and safe fastening through loading fixing belts



\* Maximum stackable quantity allowed when full: n° 4 pieces for a total of 144 İitres.

**Optional:** Customizable plates, customizable stickers.

ITEM	<b>Dimensions cm</b>	Capacity L	Material	Color
02038	57x37x28H	36	PEHD	Green
R-02038	57x37x28H	36	PSV	Grey
RE-02038	57x37x28H	36	PSV MIX ECO	Grey

Special colour customizations are available upon request



For separate communal collection of domestic Waste vegetable oil



Equipped with integrated filler and float level gouge



Large opening for easy oil filling



H-Oli is a container for the communal collection of used vegetable cooking oil from apartment blocks and other public collection points. The drum is made in weather-resistant HDPE, it is washable and recyclable at the end of its useful life.

The container is provided with a H-Oli lid for practical and safe collection of used vegetable cooking oils.

The filling aperture includes a wide funnel with recessed filter and an anti-spill safety value to reduce and stop the flow, in the event of accidental overturning, it also prevents overfilling.

It also has an optional odour filter (lasting approx. 2 years) and a float level gauge. The H-Oli collection container is supplied with a secondary lid that makes the container UN/RID/ADR approved for safe transport.



Optional lock with universal key







### **Optional:**

H-OLI Kit, Oil Only 120 Platform, lock with universal key, vinyl labels.

### **Container blue color**

(special colour customizations are available upon request)

ITEM	<b>Dimensions cm</b>	Capacity L
02534	D.50xH.95	115





# Container for separate collection of used Vegetable oil



Completed with NCP cover and level gauge



Supplied with coded key closure



Large fill cover



Installation at a supermarket



Installation at a material collection point

**OLIVIA®200** consists of two containers, one inside the other.

The outer container approximately 500 litres, is made from oil and weather resistant HDPE. it is pressure washable and has a lid with a slam lock with coded key and lid support props for easy internal inspection. The inner corrosion resistant steel container has a capacity of 200 litres, a large opening for oil collection and a watertight claspsealed lid with oil resistant gasket. It can also be transported by road because it is authorised by UN/RID/ADR and approved for safe transport.

It has a float level gauge with an analogue display dial and a manually opening lid with automatic closure and includes a ventilation and carbon odour filter (lasting approx. 2 years) to deter flies and rodents. It also has an anti-roll bar, a funnel to facilitate oil collection and a safety float valve, to prevent spillage in case the container is accidentally overturned or overfilled.







### Container yellow color

(special colour customizations are available upon request)

Ref. Item	Cod. Item	Name	Dimensions cm	Capacity L
OV-60.000	02172/V	200	D.100xH120	200
OV-60.000C	02170/V	Roll-bar	D.100xL.140xH210	200
OV-60.000D	02171/V	New	D.100xL.140xH235	200

### Available in version:

**OLIVIA cod. OV-60.000C** – To be positioned near highways, pavements or at strategic points accessible to the public, it is supplied with an integrated roll-bar and can be anchored to the ground with suitable bolts (not included) to resist strong winds weather and accidental knocks that might otherwise tip the container over. It also features a yellow 100x40 cm banner signage panel with green lettering.

**OLIVIA NEW cod. OV-60.000D** – Ideal for placement in public places, it is supplied with two bars to protect each side and anchoring for secure ground fixing with suitable bolts (not included) to resist strong winds that might otherwise tip the container over. It also has a signage panel for vinyl labels.

7



Installation in an open green area











### **Container for separate collection** of used vegetable oil equipped with pallet-fork shaped base



Easy to inspect thanks to open lid props



It con be easy handled



Easy used oil recovery



Easily moved thanks to two base slots for forks



Ideal for both full and empty movement



Practical shaped bottom for transport by forklift

OLIVIA® 500 FREE consists of two containers, one inside the other.

The outer container approximately 1000 litres is designed to be easily manoeuvrable by pump truck or fork-lift truck when full. The inner container, also in HDPE, has a storage capacity of 495 litres and is equipped with a large oil filling aperture, hermetically sealed by means of a screw cap complete with gasket seal. Made of suitable oil and weather resistant HDPE, it is easy to transport even when full. It has slots for easy use with a standard fork-lift. It is pressure washable and has a lid with slam lock with coded key and lid support props for easy internal inspection.

The OLIVIA®500 FREE collection station also has a float level gauge and a safety valve, to prevent spillage in case the container is accidentally overturned or overfilled.

### Available in version:

OLIVIA cod. OV-60.100C - To be positioned near highways, pavements or at strategic points accessible to the public, it is supplied with an integrated roll-bar and can be anchored to the ground with suitable bolts (not included) to resist strong winds weather and accidental knocks that might otherwise tip the container over. It also features a yellow 100x40 cm banner signage panel with green lettering.

OLIVIA NEW cod. OV-60.100D -Ideal for placement in public places, it is supplied with two bars to protect each side and anchoring for secure ground fixing with suitable bolts (not included) to resist strong winds that might otherwise tip the container over. It also has a signage panel for vinyl labels.





**Container yellow color** (special colour customizations are available upon request)

Ref. Item	Cod. Item	Name	Dimensions cm	Capacity L
OV-60.100	02514/V	500	D.115xH125	495
OV-60.100C	02512/V	<b>Roll-bar</b>	D.115xL.140xH210	495
OV-60.100D	02513/V	New	D.115xL.140xH235	495



# Containers for WASTE COLLECTION CENTER

To be

applied on

Lplan

# OLIVbox<sup>800</sup> article with CE Certificate

Container for separate collection of capped closed plastic bottles containing used cooking oil



Only for filling with sealed plastic bottles



Large aperture

Optional: Corporate and Personalized vinyl labels. Container yellow color (special colour customizations are available upon request)

Supplied with labels with instruction

OLIVBOX 800 is a container for the

separate collection of used cooking oil in

125 cm, int. diameter 105 cm, height 135 cm - approx.) can hold about 200-300 one

Once full, the base is fork-lift shaped for

easy movement and transport. The container is made in HDPE and resistant to damage

OLIVBOX 800 new cod. OV-60.300D – To be positioned near highways

or at open strategic collection points, it is supplied with bars to protect the sides and ground anchors, to resist destabilisation by

OLIVBOX 800 cod. OV-60.300 – Model without bars or ground anchors suitable for managed site and multi-material

sealed plastic bottles - not for loose oil. The 800 litre volume container (ext. diameter

litre bottles.

strong winds.

collection points.

from the weather and oil.

Available in version:

Ref. Item	Cod. Item	Name	<b>Dimensions cm</b>	Capacity L
OV-60.300	02175/V	800	D.115xH125	800
OV-60.300D	02176/V	New	D.115xL.140xH235	800
OV-60.400D	02276/V	800 LT	D.115xL.140xH235	800

# **Operator APP**

The **OIL PLAN OPERATOR APP** came about as a means of integrating the **WEB OIL PLAN** interface for **LIVE** monitoring of the collection containers and electronic kits you have. The ecological operators, equipped with the **APP**, can update the status in real time of the collection stations following their intervention for:

- MAINTENANCE
- REPLACEMENT of entire collection stations
- CONVERSION of containers from NON SMART to SMART
- INSTALLATION of SMART and NON SMART collection stations
- GEOLOCATION
- UPDATED DETAILS of the containers and electronic kits INSTALLED and in the WAREHOUSE

The OIL PLAN OPERATOR APP is a fast and intuitive tool to have **REALISTIC AND RAPID UPDATES** without wasting time due to passages of information with relevant errors.



Identification of the containers via

12	-1) ;	AG FG		
	()u		6	
-				



800



# **OLIVbox**<sup>200®</sup>

**Container for** separate collection of capped closed plastic bottles -**Containing used** cooking oil



Equipped with NCP cover with bottle grid



OLIVBOX 200 is a container for the separate collection of used cooking oil in sealed plastic bottles - not for bulk oil

The collecting station is composed by a forklift container up to 200L capacity which, once full, it' is easily transportable and replaceable with a new one empty provided with wheels.

The container is also fitted with a lid NCP with knob and with anti-tilt anti-intrusion system that does not allow to withdraw bottles already inserted inside the container itself.

OLIVBOX 200 is also equipped with a large locked lid to allow the emptying of the content.

The collection station is made of HDPE suitable and resistant against atmospheric agents aggressions and oils.



**Optional:** NCP cover lock, universal lock for big cover, high pole and low pole for landing the container with chain and padlock, high pole identification panel, pesonalized stickers.

### **Container blue color**

(special colour customizations are available upon request)

ITEM	Dimensions cm	Capacity L
OV-02180	58x75xH110	200
OV-02180E	58x75xH110	200







Containers for COMMUNAL WASTE COLLECTION

### Sheet metal containers for the separate collection of screw-capped bottles containing used cooking oil - Not for bulk oil



Insert the perfectly sealed bottle in the opening.



Article with CE Certificate

Our "C" line containers is designed for the separate domestic, condominium and street waste collection. It consists of an external painted sheet metal container and an internal plastic container (EN840; EU Directive 2000/14/EG) equipped with wheels to facilitate emptying and acting as containment tank; quantities of waste can be collected from 120 liters up to 360 litres, depending on the container model.

The external sheet metal container features removable side panel for extracting the inner bin when full. The side panel is fitted with lock to

guarantee access only to authorized personnel. The contenitors are also provided with a grilled NCP lid to prevent the removal of bottles that have already been inserted in the container. It also features a rollover mechanism that prevents the lid from staying open.

The container spaces can be customized with different colors from those in the catalog or with the application of additional adhesives to the basic ones. The containers are equipped with sun-resistant and reflective stickers weathering.

Corporate and Personalized vinyl labels.



article with CE Certificate CE

Internal container with wheels for easier emptying.



**Optional:** 





C-line Free <sup>®</sup>
--------------------------

C-Plus 360 FF

Ref. Item	Cod. Item	Dimensions cm	Capacity L
C-Line 120 FREE	CL120FREE	78,4x60,4xH110,4	120
C-Line 240 FREE	CL240FREE	84,4x66,4xH118	240
C-Line 360 FREE	CL360FREE	104,3x76,3xH126,2	360



C-plus Free <sup>®</sup> <b>C</b> ILplan				
Ref. Item	Cod. Item	<b>Dimensions cm</b>	Capacity L	
C-Plus 120 FREE	CP120FREE	78,4x60,4xH126,5	120	
C-Plus 240 FREE	CP240FREE	84,4x66,4xH140,5	240	

	Cod. Item	Dimensions cm	Capacity L
REE	CP120FREE	78,4x60,4xH126,5	120
REE	CP240FREE	84,4x66,4xH140,5	240
REE	CP360FREE	104,3x76,3xH142,5	360

To be applied on Lplan





Ref. Item	Cod. Item	<b>Dimensions cm</b>	Capacity L
C-Box 120 FREE	CB120FREE	78,4x60,4xH184	120
C-Box 240 FREE	CB240FREE	84,4x66,4xH198	240
C-Box 360 FREE	CB360FREE	104,3x76,3xH200	360



### **Accessories** for securing **H-Oli collection Container**



Post with ground fixing plate



Anchoring ring

The H-Oli Kit is a set of ground fixing options with signage for the H-OLI collection station.

It consists of an anchoring ring with coded key padlock, hot-dip galvanized post with ground fixing plate (bolts not included) with signage panel to identify the 'USED VEG-ETABLE OIL' collection point.



18x50 cm back panel to identify the 'USED VEGETABLE OIL' collection point, wall fixing plate (bolts not included).



Padlock



\* H-Oli container except

ITEM	Dimensions cm	Capacity L
02535	/	/

### NON-SLIP PLATFORM **OIL ONLY 120**


Oil Only 120 non-slip Platform for H-Oli collection bunker



Optional wall fixing plate



Identification sign



Extra safety with non-slip adhesives on romps

form is designed to increase user safety for access when filling the H-Oli Collection bunker with used vegetable oil from domestic containers, such as the **OLI** and **ECOHOUSE** containers. The platform is manufactured from pre-

The OIL ONLY 120 non-slip grid plat-

galvanized sheet steel, with accessories in hot-dip galvanized steel to provide excellent weather resistance and it includes holes for anchoring the platform to the ground.

In the event of any accidental oil spillage, the grid together with three non-slip ramps, guarantees safe pedestrian access to users.

The platform has special high oil absorbent yet water-repellent pads for rainwater diversion from holes in the bottom of the tray, in order to avoid water stagnation and unpleasant odours and insect infestation

\* The absorbent capacity of the pads is

about 1.2 litres each, for a total of 12

Replacement of the pads should be carried out in the event of any major spillage (max. approx. 10-12 litres) and used pads must be disposed of according to environmental regulations in force.

litres per platform.





**Optional:** Wall fixing plate (bolts not included).

ITEM	<b>Dimensions cm</b>	Capacity L
OV-02506	113x86x3,5H	/



# OIL ONLY 200-500

### Oil Only 500 non-slip platform bund for OLIVIA 200 & 500 FREE collection bunker



The non-slip grill guarantees maximum safety during oil filling



The rain does not stagnate due to relevant slots on the bottom

The **OIL ONLY 500** non-slip grid platform is designed to increase user safety for access when filling the **OLIVIA** Collection bunker with used vegetable oil from domestic containers, such as the **OLI** and **ECO-HOUSE** containers.

The platform is manufactured from pregalvanized sheet steel, with accessories in hot-dip galvanized steel to provide excellent weather resistance and it includes holes for anchoring the platform to the ground.

In the event of any accidental oil spillage, the grid together with three non-slip ramps, guarantees safe pedestrian access to users. The platform has special high oil absorbent yet water-repellent pads for rainwater diversion from holes in the bottom of the tray, in order to avoid water stagnation and unpleasant odours and insect infestation.



Version without the poles and roll bar

GOCCIOLINA is a funnel for the collection

Designed to facilitate the easy filling of used

oil from pan to a re-used bottle; it has a wide aperture and a removable preliminary

To contain odour, **GOCCIOLINA** has a hinged lid, which is removable to facilitate cleaning. The flat lid may be silk screen printed or have a vinyl label attached. The design of the bottom of the funnel makes it adaptable for use with different types of bottles on the market, from small half-litre PET bottles to bigger ones with wider necks. The lid is also provided with a special seat that retains the bottle cap used for collection so that it can be reused to close the bottle once it is full. The cap holder also allows you to store caps with different diameters.

of used domestic cooking and frying oil.

filter to prevent clogging.



\* The absorbent capacity of the pads is about 1.2 litres each, for a total of 12 litres per platform.

Replacement of the pads should be carried out in the event of any major spillage (max. approx. 10-12 litres) and used pads must be disposed of according to environmental regulations in force.

ITEM	Dimensions cm	Capacity L
OV-02519	163x136x3,5H	800



Funnel for collection of used cooking & frying oil



Features convenient side grip and large aperture for pouring the oil



Funnel bottom adoptable for use with various types of reused bottles



Equipped with lodge cap



### particular closure



Vinyl labels, silk screen printing for customisation.

### Available in several colour variations.

ITEM	Dimensions cm	
02044	12,2x19,2x11H	monochromatic
02044/B	12,2x19,2x11H	bichromatic

# For bulk oil

### Lid to improve safety & quality of used Vegetable oil collection in a drum



Opening with an Anti-overturning cap



Funnel with an integrated filtering grid

The **H-OLI** and **NCP** lids are built with weather-resistant materials. They have been realized for easily recovering used vegetable oil and to increase user safety. Both covers have an anti-tip and spiel mechanism (which avoids that the lid remains opened) and they have a reserved place for applying an a-ring.

The cover prevents rainwater entering the container and avoids over filling or accidental overtuning of dangerous liquids all around.

The **NCP** lid is adaptable to fit most existing containers including wheeled bins. The **H-OLI** lid has also an anti-spill valve with self-locking system and it can be applied to several containers of different sizes or capacities already an the market and on the territory (120 litres /395 cm, 125 li tres/395 cm, 1331itres/ 395cm, 1621itres/395 cm).

> Optional: Lock with universal key; electronically controlled aperture lock, odour filter (lasting approx. 2 years),

vinyl labels.



Level gauge

# For bottle oil collection

### Lid to improve safety & quality of used Vegetable oil collection in a drum



Fun nel with bottle grid



Rubber grid for bottles



Optional lock with universal key

The **H-OLI** and **NCP** lids with bottle-grill are built with weather resistant materials. They have been realized for easily recovering of waste and to increase user safety. Both covers have a bottle-grill that avoid to take out of the bin the battles already inside.

Both covers have an anti-tip and spiel mechanism (which avoids that the lid remains opened) and they have a reserved place for applying an a-ring.

The cover prevents rainwater entering the container.

The **NCP** lid can be applied to several containers already placed on the territory such as glass, paper or plastic containers (you need to verify the container before). The **H-OLI** lid can be applied to several containers of different sizes or capacities already on the market and on the territory (Capacity of120 lt - Diameter of 395 cm; Capacity of123 lt - Diameter of 395; Capacity of162 lt - Diameter of 395 cm).



### Lock with universal key, electronically controlled lid aperture lock, odour filter (lasting approx. 2 years), colour coding and vinyl labels.





Cover yellow or black color (special colour customizations are available upon request)

ITEM	Dimensions cm	Name
02173	32x25x12H	Lid NCP
02504	50x50x20H	Lid H-OLI



ITEM	<b>Dimensions cm</b>	Name
02173/A	32x25x12H	Lid NCP+grid
02173/B	32x25x12H	Lid NCP+grid
02504/A	50x50x20H	Lid H-OLI+grid

# coverUp

# Lid with carbon anti-odour filter

It eliminates foul smells thanks to the carbon filter.

Cover for wheelie bins on two wheels, 120 and/ or 240 l. COVER UP is a naturally ventilated cover which, thanks to the specific opening with a chimney effect, allows odorous gases accumulating inside the container to be adsorbed by the particular **Adsorbeco** carbon filter.

This ensures, during periodic openings, no unpleasant odours are released when inserting waste.





Fluid dynamic diagram that indicates the possible directions of the gases contained in the bin and their passage through the anti-odour filter.

### The first intelligent cover Eliminates foul smells in solid urban waste containers



### What are the advantages?

Reduced collection intervals and emptying of bins, in particular in the summer.

Less vehicle journeys resulting in less environmental pollution and better air quality.

Reduced collection costs.

Considerable reduction in odours, both when the bin is closed and open with the new waste insertion system and high filtering efficiency.

Fewer insects and/or animals are drawn to foul emissions.





Grid with carbon anti-odor filter

### Brown RAL 8011 cover

(Other colour customisations are available on request with a minimum production quantity).

ITEM	<b>Dimensions cm</b>	Name
CoverUp 120	44x44x8H	Lid NCP120
CoverUp 240	54x61x10H	Lid NCP240


### SEPARATE COLLECTION OF USED VEGETABLE OIL

### Transizione Ecologica PNRR & 4.0



### discover a world of... **ecological ideas** in **Plastic Second Life** PRODUCTS CATALOGUE





Via dell'Artigianato n. 2, n. 8 - Via Poggio n. 9 - 40023 Castel Guelfo (BO) - Italy Phone +39 0542.670330 - Fax +39 0542.670130 e-mail: info@nuovacplastica.com www.nuovacplastica.com

Updated catalog 24/11/2024